



5.25%  
sales tax!

## Metal Building Components

Sales: Dirk Ballast  
Bryan Chambers  
Steve Jensen

M-F 7:30 a.m.-5:00 p.m.  
Sat. 7:30 a.m.-noon

I-35 @ mile marker 79  
Paoli, Oklahoma

**(405)484-7115**

### Angle Iron

1/8" 1" x 1"  
1/8" 1 1/4" x 1 1/4"  
1/8" 1 1/2" x 1 1/2"  
1/8" 2" x 2"  
3/16" 1" x 1"  
3/16" 1 1/2" x 1 1/2"  
3/16" 2" x 2"  
3/16" 3" x 2"  
3/16" 3" x 3"  
1/4" 1" x 1"  
1/4" 1 1/2" x 1 1/2"  
1/4" 2" x 2"  
1/4" 3" x 2"  
1/4" 3" x 3"  
1/4" 4" x 3"  
1/4" 4" x 4"  
3/8" 4" x 3"  
3/8" 4" x 4"

### Beam

4" x 4" x 13#  
6" x 4" x 9#  
6" x 6" x 15#  
8" x 4" x 10#  
8" x 5 1/4" x 18#  
8" x 6 1/2" x 24#  
10" x 4" x 12#  
12" x 4" x 14#  
12" x 4" x 16#  
12" x 4" x 19#  
14" x 5" x 22#  
16" x 5 1/2" x 26#  
18" x 6" x 35#

### Base Angle Primed

2" x 2" x 14 ga. 20' & 25'  
4" x 2" x 14 ga. 20' & 25'

### Channel Iron - 20'

1 1/4" x 1/2" x 1/8"  
1 1/2" x 1/2" x 1/8"  
3" x 4.1#  
4" x 5.4#  
5" x 6.7#  
6" x 8.2#  
8" x 11.5#  
10" x 15.3#

### Expanded Metal 4'x 8'

3/4"x #9 flat  
3/4"x #9 standard  
3/4"x #10 standard  
1 1/2"x #10 standard  
1/2"x #16 flat  
#3 grating

### Flat Strap

1/8" x 1"  
1/8" x 1 1/2"  
1/8" x 2"  
1/8" x 3"  
1/8" x 4"  
3/16" x 1"  
3/16" x 1 1/2"  
3/16" x 2"  
3/16" x 3"  
3/16" x 4"  
3/16" x 6"  
1/4" x 1"

### Flat Strap

1/4" x 1 1/2"  
1/4" x 2"  
1/4" x 3"  
1/4" x 4"  
1/4" x 6"  
3/8" x 2"  
3/8" x 2 1/2"  
3/8" x 3"  
3/8" x 4"  
3/8" x 6"  
1/2" x 1 1/2"  
1/2" x 2"  
1/2" x 4"  
1/2" x 6" x 10'  
1/2" x 6" x 20'  
3/4" x 8" x 10'  
3/4" x 8" x 20'

### HR Flat Sheet & Plate

16 gauge 4' x 8'  
16 gauge 4' x 10'  
14 gauge 4' x 8'  
14 gauge 4' x 10'  
14 gauge 4' x 12'  
12 gauge 4' x 8'  
12 gauge 5' x 10'  
10 gauge 4' x 8'  
3/16" 4' x 8'  
1/4" 4' x 8'  
3/8" 4' x 8'  
1/2" 4' x 8'  
1/8" 4' x 8' diamond  
1/8" 5' x 10' diamond  
3/16" 4' x 8' diamond

### Metal Stud & Track 20&22 ga.

Track 10' 22 ga - .30  
Studs 10', 12', & 24' 22 ga. - .34

### Purlin - 14 Ga. Primed

**C purlin** 20', 25', & 30'

3"x 1 1/2"  
4"x 1 1/2"  
4"x 2" 20' & 25' only  
6"x 2"  
8"x 2 1/2"  
10"x 2 3/4" (25' & 30')

**Z purlin** 21' & 26'

4"x 2"  
6"x 2"  
8"x 2 1/2"

**Square Bar** 5/8" x 20'

### Purlin Clips

3" x 5" x 10 ga.  
5" x 7" x 3/16"

### Rebar Grade 40 or comp.

#3 3/8" x 20'  
#4 1/2" x 20'  
#5 5/8" x 20'

### Receiver - 14 Ga. Primed

4 3/16"x 2"x 20' & 25'  
6 3/16"x 2 1/2" 20'&25'  
8 3/16"x 3" 20' & 25'

### Rectangular Tubing

2"x 1"x 14 ga. 20'&24'  
3"x 1 1/2"x 14 ga. 20'&24'  
3"x 2"x 14 ga. 20'&24'  
3"x 2"x 11 ga. 40'  
4"x 2"x 14 ga. 20'&24'  
6"x 2"x 14 ga. 20'&25'  
6"x 2"x 11 ga. 20'&25'

### Round Rod

1/4"  
5/16"  
3/8"  
1/2"  
5/8"  
3/4"  
7/8"  
1"

### Round Tubing

.840" O.D.x 14 ga.  
1.05" O.D.x 14 ga.  
1.66" O.D.x 14 ga.  
1.66" O.D.x 10 ga.  
1.90" O.D.x 14 ga.  
1.05" O.D.x 12 ga.  
1.90" O.D.x 10 ga.  
2.375" O.D. 14 ga.  
2.375" O.D. 10 ga.  
2.875" O.D. 10 ga.

### Used Oilfield Pipe

2 3/8" OD Upset tubing .  
2 7/8" OD Upset tubing .  
4 1/2" OD Casing  
4 1/2" OD Drill stem  
5 1/2" OD Casing

### Round Pipe Caps

2 3/8"  
2 7/8"  
3 1/2"  
4 1/2"  
5 1/2"

## Square Tubing 20 & 24'

16 ga. 1/2"  
14 ga. 3/4"  
14 ga. 1"  
14 ga. 1 1/4"  
14 ga. 1 1/2"  
14 ga. 2"  
14 ga. 2 1/2"  
14 ga. 3"  
14 ga. 4"  
11 ga. 1"  
11 ga. 1 1/4"  
11 ga. 1 1/2"  
11 ga. 2"  
11 ga. 3"  
11 ga. 4"  
1/4" wall 2"  
1/4" wall 3"  
1/4" wall 4"

### **Sucker Rod**

5/8"  
3/4"  
7/8"  
1"  
Sucker rod box

## **Hardware & Accessories**

### Anchor Bolts

3/4-10x15"  
3/4-10x18"  
3/4-10x21"  
3/4" Flat washer  
3/4" Hex nut

### Weld Plates

6"x 6"x 3/8" w/studs  
6"x 7"x 1/2" plate  
6"x 9"x 1/2" plate  
6"x 11"x 1/2" plate  
6"x 13"x 1/2" plate  
6"x 15"x 1/2" plate  
6"x 17"x 1/2" plate  
6"x 19"x 1/2" plate

### X Bracing

5/8"-11x 3' allthread  
Hillside washer  
Nylon insert locknut  
5/8" flat washer

### Closures

RPN & Sturdi-rib  
UPN  
Beveled pair  
Foam roll 25'x 1"x 1 1/2"  
Rope sealer - 50' roll  
Vented closure  
RPN expandable 13.12'

### Roll Up Doors

4'x 7' mini - rope  
6'x 7' mini - rope  
8'x 7' mini - rope  
10'x 8' mini-rope  
8'x 10'  
10'x 10'  
10'x 12'  
12'x 12'  
14'x14x

### Metal Doors Walk-in

(20 ga. w/Polystyrene Core)  
3'x 7' std. or mortise cut  
3'x 7' w/deadbolt cut-out  
3'x 7' w/astragal  
3'x 7' w/1/2 glass  
3'x 7' w/vertical glass  
4'x 7' std. or mortise cut  
4'x 7' w/1/2 glass  
4'x 7' w/vertical glass

### Frames

3070 x 4 1/4"  
3070 x 6 1/4"  
3070 x 8 1/4"  
4070 x 4 1/4"  
4070 x 6 1/4"  
4070 x 8 1/4"  
6070 x 4 1/4"  
6070 x 6 1/4"  
6070 x 8 1/4"  
Deadbolt cut-out  
Kerf weatherstrip

**3'x7' door kit with standard cut-out & knob, threshold, hinges &:**  
4 1/4" frame  
6 1/4" frame  
8 1/4" frame

## **Metal Door Hardware cont.**

Hinges - set of 3  
3' threshold  
4' threshold  
6' threshold  
3070 weatherstrip  
4070 weatherstrip  
6070 weatherstrip  
Standard lockset  
Heavy duty lockset  
Mortise lever  
Mortise knob  
Deadbolt lock  
Panic bar  
Removeable mullion  
Oil operated closer  
8" chrome surface bolts

### **Hinges Weld-on**

3" barrel hinge  
3"x 3"  
4" x 4"  
5" x 5"

### **Insulation Reinforced**

3"x 48"x 100'  
3"x 72"x 100'  
Double-sided tape 180' roll  
Patch tape 150' roll

### **Master Flash Pipe Flashing**

#3 (1/4" - 4")  
1/2" - 4" Retrofit  
#5 (4" - 7")  
#6 (5" - 9")  
#8 (7" - 13")

### **Primer & Paint**

Ospho (stops rust) 1 gallon  
Touchup spray  
Brown primer 1 gallon  
Brown primer 5 gallons  
White primer 1 gallon

### **Sheeting Ledge 10'**

White or bronze

### **Skylights 12'**

Fiberglass UPN  
Polycarb. RPN, UPN or Sturdi-rib  
10' polycarbonate ridgelight  
Skylight stiffener

## **Sliding Door Hardware**

Small pair of rollers  
Small rail (per ft.)  
Small Bracket  
Small adjustable bracket  
Sm. adjust. splice bracket  
Sm. splice bracket  
Large pair of rollers  
Large rail (per ft.)  
Large bracket  
4" V-groove roller

### **Trusses 2:12 14 Ga.**

20' (1 1/2" sq. tubing)  
24' (3x 1 1/2" rect. tube)  
30' (3x 1 1/2" rect. tube)  
40' (4"x2" rect. tube)  
50' (6x 2" rect. tube)

### **Vents White or Galv.**

#### **with Flat Skirt -**

10' low profile  
9"x 10' w/ damper  
20" round w/ damper  
**with RPN or UPN Skirt -**  
20" round w/ damper

### **Windows**

3'x 3' w/ 2 pair of fins  
4'x 3' w/2 pair of fins  
6'x 3' w/2 pair of fins

### **Self Drill Screws**

(May purchase one screw)  
#12x 3/4" tek  
#12x 1 1/4" tek  
#12x 1 1/4" tek 5  
#14x 1" tek  
#14x 7/8" lap & trim  
#9x 1" wood binder

#10x 2 1/2" wood binder  
#10x 1 7/16" Phillips wafer  
#12x 2" Phillips wafer  
#12x 2 1/2" Phillips wafer  
#17x 3/4" oversized  
Sealing washer #12x 1"  
Pop rivet

### **Drive Pins & Wedges**

1/4"x 1 1/2" drive pin  
1/2-13x4 1/2" wedge anchor  
3/4-10x 7" wedge anchor

## Tools

Kett shear w/nibbler  
Hitachi nibbler  
Fein nibbler  
Dewalt Screw Gun  
P. Cable metal cut saw  
P. Cable 7 1/4" saw blade  
Kett nibbler attachment  
Kett punch & die  
Kett shear blades  
Fein punch & die  
Fein punch  
Fein die  
Sait 14" chopsaw blade  
1/4" nutsetter  
5/16" nutsetter  
3/8" nutsetter  
#2 Phillips bit

*Steelco carries Forney  
welding accessories.*

## Culverts - Steel 20' & 24'

12" 16 gauge  
18" 16 gauge  
24" 16 gauge  
Band for 12"  
Band for 18"  
Band for 24"

## Fencing & Wire

Sheffield 4 pt. barb 12 1/2 ga.  
Sheffield 2 pt. barb 12 1/2 ga.  
2 pt. barb 12 1/2 ga. USA  
2 pt. barb 12 3/4 ga. American  
Sheffield Barbless 12 1/2 ga.

1/4 mile electric wire 14 ga.  
1/4 mile electric wire 17 ga.  
1/2 mile electric wire 17 ga.  
48"x 3/8" electric fence post.  
Smooth wire 12 1/2 ga.100#.  
Smooth wire 14 ga.100#  
Smooth wire 14 ga.10#

## Fencing Accessories

3/8" cable clamp  
1/2" cable clamp  
5/8" cable clamp  
1/4" cable clip  
5/16" cable clip  
3/8" cable clip  
5/16" rod clip  
Cable spring  
42" twist stay 100 piece  
48" twist stay 100 piece

## Livestock Panels

34"x 16'x 4 ga. hog  
50"x 16'x4 ga. 10 wire  
50"x 16'x 4 ga. 13 wire  
36"x 20'x 6 ga. 4"x 4"  
48"x 20'x 6 ga. 4"x 4"  
60"x 20'x 6 ga. 4"x 4"  
48"x 20'x 6 ga. 2"x 4"  
60"x 20'x 6 ga. 2"x 4"  
60"x16' 6"x 6" bull wire

## Portable Panels

10' heavy panel  
10' xtra heavy panel  
10' REJECT Panels  
12' heavy panels

## Pasture Gates

4' heavy - unpainted  
4' heavy bowgate  
6' heavy - unpainted  
8' heavy - unpainted  
10' heavy - unpainted  
12' heavy - unpainted  
14' heavy - unpainted  
16' heavy - unpainted  
18' heavy - unpainted  
20' heavy - unpainted

## T-Posts w/5 clips

5' 6"  
6' 0"  
6' 6"  
7' 0"  
8' 0"

## Steel Roofing & Siding

Limited Warranty Materials 26 Gauge, 80 PSI

\*Available in stock. (All others are available by custom order only.)

For insurance purposes, request UL ratings at the time of order, please.

### 15 Year Paint

(RPN, UPN, Sturdi-rib, or Sturdi-Span)

\*Arctic White, Tan, Ash Gray, Light Stone  
Rustic Red, Charcoal Gray, Choc. Brown, Hunter Green

### 40 Year Paint PBR/PBU

20 Year Base Metal

Burgundy	Steel Gray	Colonial Red
Polar White	Ash Gray	Axtec Gold
Burnish Slate	Sahara Tan	Colony Green
Light Stone	Surfsand	

### 40 Year Paint PRB/PBU Crimson Red and Koko Brown

### 40 Year Paint Sturdirib

20 Year Base Metal

All colors listed above plus:

Old Town Gray	Aspen Green	Cool White
Fern Green	Evergreen	Hawaiian Blue
Royal Blue	Crimson Red	Koko Brown

The seven colors listed above are also available in PBU/PBR panels.

### \* Galvalume Plus

25 Yr. Base

n/sd UPN/RPN

### 5 Year Paint

White, Tan or Lt Stone  
(RPN or UPN)

### 10 Year Paint

(RPN or UPN)  
White, Tan, Ash Gray,  
or Light Stone

### 35 Year KYNAR Colors

Deep Blue	Kelly Green	River Teal
	(PBU, PBR Sturdirib)	

### 35 Year Trinar Color

(PBR or PBU only)  
Copper Metallic      Kelly Green      Deep Blue

## Secondary Materials - 26 Gauge, No Warranty

*Check for availability on Colors & Galvalume*

We have a variety of profiles, gauges, and colors available. Please, inquire for stock lengths and availability. If we don't have it in stock, we would like to order it for you.

Secondary material and bargain materials will have some type of cosmetic defect - out of square, paint cracking, paint blisters, oil canning, edge wave, water stain, or a pie crust edge. The quality of the secondary material will sometimes vary and does not have a warranty.

**Warning:** Do not allow metal to collect condensation or moisture before installation nor allow hot sparks to come in contact with it. Clean metal shavings off your newly installed sheeting to prevent deterioration.

**(405)484-7115**